
Printing date 19.08.2014

Revision: 19.08.2014



Printing date 19.08.2014

Revision: 19.08.2014

rade name: Kitchen Power v.2		
• Hazard pictograms		
GHS07		
· Signal word Warning		
 Hazard-determining components of labelling: alcohols, ethoxylated, phosphate esters alcohols, C9-11, ethoxylated Disodium Metasilicate Pentahydrate Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. Precautionary statements P280 Wear protective gloves / eye protection. P264 Wash thoroughly after handling. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention. P302+P352 IF ON SKIN: Wash with plenty of water. Hazard description: WHMIS-symbols: D2B - Toxic material causing other toxic effects 		
(\mathbf{T})		
· NFPA ratings (scale 0 - 4)		
Health = 1 Fire = 0 Reactivity = 0		
· HMIS-ratings (scale 0 - 4)		
HEALTH1Health = 1FIRE \bigcirc Fire = 0REACTIVITY \bigcirc Reactivity = 0		
· HMIS Long Term Health Hazard Substances		
None of the ingredients is listed.		
· 2.3 Other hazards · Results of PBT and vPvB assessment		
• PBT: Not applicable.		
(Contd. on page 3)		

Printing date 19.08.2014

Revision: 19.08.2014

(Contd. of page 2)

Trade name: Kitchen Power v.2

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 68439-46-3 NLP: 500-446-0	alcohols, C9-11, ethoxylated	1-5%
	Eye Dam. 1, H318	
CAS: 68130-47-2	alcohols, ethoxylated, phosphate esters C R34 Skin Corr. 1C, H314	1-5%
CAS: 10213-79-3 EINECS: 229-912-9	Disodium Metasilicate Pentahydrate C R34; Xi R37 Met. Corr.1, H290; Skin Corr. 1B, H314 STOT SE 3, H335	1-5%
CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-00-6	sodium hydroxide C R35 Skin Corr. 1A, H314	
· Additional information: For	the wording of the listed risk phrases refer to section 16.	<u> </u>

SECTION 4: First aid measures

· 4.1 Description of first aid measures · General information: Immediately remove any clothing soiled by the product. · After inhalation: Supply fresh air; consult doctor in case of complaints. · After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. · After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. · 4.2 Most important symptoms and effects, both acute and delayed Irritant to skin and mucous membranes. Irritant to eves. Gastric or intestinal disorders when ingested. Nausea in case of ingestion. (Contd. on page 4)

Printing date 19.08.2014

Revision: 19.08.2014

(Contd. of page 3)

Trade name: Kitchen Power v.2

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: None.
- \cdot 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- · 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information Eliminate all ignition sources if safe to do so.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol.

Particular danger of slipping on leaked/spilled product.

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Clean the affected area carefully; suitable cleaners are:

- Warm water
- Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Store in cool, dry place in tightly closed receptacles.

· Information about fire - and explosion protection: No special measures required.

(Contd. on page 5)

GHS

Printing date 19.08.2014

Trade name: Kitchen Power v.2

Revision: 19.08.2014

(Contd. of page 4)

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Unsuitable material for receptacle: glass or ceramic.

• Information about storage in one common storage facility: Store away from oxidizing agents.

Store away from foodstuffs.

• Further information about storage conditions: Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

1310-73-2 sodium hydroxide

PEL (USA) Long-term value: 2 mg/m³

REL (USA) Ceiling limit: 2 mg/m³

TLV (USA) Ceiling limit: 2 mg/m³

EL (Canada) Short-term value: C 2 mg/m³

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

 General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols.

· Respiratory protection:

Not necessary if room is well-ventilated. Use suitable respiratory protective device in case of insufficient ventilation. Use suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

(Contd. on page 6)

Printing date 19.08.2014

Trade name: Kitchen Power v.2

(Contd. of page 5)

Revision: 19.08.2014

• Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Contact lenses should not be worn.



Safety glasses

· Body protection: Alkaline resistant protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Colour: Red · Odour: Odourless · Odour threshold: Not determined. · pH-value at 20 °C: 12,00 - 13,00 · Change in condition Melting point/Melting range: Not Determined. Boiling point/Boiling range: Undetermined. · Flash point: Not applicable. Not applicable. · Flammability (solid, gaseous): Auto/Self-ignition temperature: Not determined. · Decomposition temperature: Not determined. · Self-igniting: Product is not self-igniting. · Danger of explosion: Product does not present an explosion hazard. · Explosion limits: Not determined. Lower: Upper: Not determined. · Vapour pressure: Not determined. Density at 20 °C: 1,01 - 1,03 g/cm3 · Relative density Not determined. (Contd. on page 7)

Printing date 19.08.2014

Revision: 19.08.2014

Trade name: Kitchen Power v.2

 Vapour density Evaporation rate 	Not determined. Not determined.	(Contd. of page 6)
 Solubility in / Miscibility with water: Partition coefficient (n-octanol/wate 	Fully miscible.	
 Viscosity: Dynamic: Kinematic: 9.2 Other information 	Not determined. Not determined. Not determined. No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity

- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions
- Reacts with strong acids and oxidizing agents.
- Attacks materials containing glass and silicate.
- \cdot 10.4 Conditions to avoid Store away from oxidizing agents.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:
- Carbon monoxide and carbon dioxide Phosphorus oxides (e.g. P2O5)

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- · Acute toxicity:
- Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: The product contains materials that are harmful to the environment.

(Contd. on page 8)

GHS

Printing date 19.08.2014

Revision: 19.08.2014

Trade name: Kitchen Power v.2 (Contd. of page 7) • 12.2 Persistence and degradability No further relevant information available. · 12.3 Bioaccumulative potential Does not accumulate in organisms. • 12.4 Mobility in soil No further relevant information available. · Ecotoxical effects: • Remark: After neutralization a reduction of the harming action may be recognized · Additional ecological information: · General notes: At present there are no ecotoxicological assessments. This statement was deduced from the properties of the single components. Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralized. Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably reduced, the aqueous waste, emptied into drains, is only low water-dangerous. · 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. • vPvB: Not applicable. · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Waste disposal key: EPA RCRA Code (USA) : D002 .
- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number

 \cdot DOT, ADR, IMDG, IATA

· ADN

UN1719 Not Regulated

· 14.2 UN proper shipping name



Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less than 5 L (1.3 gal).

(Contd. on page 9)

Printing date 19.08.2014

Revision: 19.08.2014

Trade name: Kitchen Power v.2

· DOT	Contd. of page 8) Caustic alkali liquids, n.o.s. (Sodium hydroxide Disodium metasilicate pentahydrate)
· ADR	1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE, DISODIUM METASILICATI PENTAHYDRATE)
· ADN	Not Regulated
· IMDG, IATA	CAUSTIC ALKALI LIQUID, N.O.S. (SODIUI HYDROXIDE, DISODIUM METASILICAT PENTAHYDRATE)
 14.3 Transport hazard class(es) 	,
· DOT, IMDG, IATA	
· Class	8 Corrosive substances.
· Label	8
· ADR	
· Class	8 (C5) Corrosive substances.
· Label	8
· ADN/R Class:	Not Regulated
 14.4 Packing group 	
· DOT, ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	
• Marine pollutant:	No
• 14.6 Special precautions for user	Warning: Corrosive substances.
· Danger code (Kemler):	80
 EMS Number: Segregation groups 	F-A,S-B Alkalis
 • Segregation groups • 14.7 Transport in bulk according to Annex II of 	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
 Limited quantities (LQ) 	5L
· Transport category	3
Tunnel restriction code	E
· UN "Model Regulation":	UN1719, CAUSTIC ALKALI LIQUID, N.O.S. (SODIU HYDROXIDE, DISODIUM METASILICAT PENTAHYDRATE), 8, III

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot United States (USA)

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 10)

Printing date 19.08.2014

Revision: 19.08.2014

Trade name: Kitchen Power v.2

	(Contd. of page
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65 (California):	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
\cdot Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
· Canadian Ingredient Disclosure list (limit 1%)	
None of the ingredients is listed.	
 Other regulations, limitations and prohibitive regulations This product has been classified in accordance with hazard criteria of the Controlled and the SDS contains all the information required by the Controlled Products Regulat 	
Substances of very high concern (SVHC) according to REACH, Article 57	
None of the ingredients is listed.	
· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been ca	arried out.

(Contd. on page 11)

Printing date 19.08.2014

Revision: 19.08.2014

Trade name: Kitchen Power v.2

(Contd. of page 10)

Thio	information is based on our present knowledge. However, this shall not constitute a guarantee for an
	information is based on our present knowledge. However, this shall not constitute a guarantee for an offic product features and shall not establish a legally valid contractual relationship.
Rele	evant phrases
H290	0 May be corrosive to metals.
H314	4 Causes severe skin burns and eye damage.
H318	8 Causes serious eye damage.
H33	5 May cause respiratory irritation.
D21	Causes burns.
	Causes burns.
	Irritating to respiratory system.
K4 I	Risk of serious damage to eyes.
Abb	reviations and acronyms:
	Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning th
	ational Carriage of Dangerous Goods by Road)
	: International Maritime Code for Dangerous Goods US Department of Transportation
	International Air Transport Association
	Globally Harmonized System of Classification and Labelling of Chemicals
ACGI	H: American Conference of Governmental Industrial Hygienists
	CS: European Inventory of Existing Commercial Chemical Substances
	CS: European List of Notified Chemical Substances
	Chemical Abstracts Service (division of the American Chemical Society)
	: Hazardous Materials Identification System (USA)
WHM	IIS: Workplace Hazardous Materials Information System (Canada)
	Corr.1: Corrosive to metals, Hazard Category 1
	Corr. 1A: Skin corrosion/irritation, Hazard Category 1A
	Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Corr. 1C: Skin corrosion/irritation, Hazard Category 1C
	rrit. 2: Skin corrosion/irritation, Hazard Category 2
	Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
	rrit. 2: Serious eye damage/eye irritation, Hazard Category 2
STOT	SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3