according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 24 March 2017

Revision: 24 March 2017

SECTION 1: Identification of the substance/mixture and of the company/ undertaking 1.1 Product identifier Trade name: T-5 Purple v.4 · Article number: 100486 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture: Degreaser 1.3 Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: Theochem Laboratories 7373 Rowlett Park Drive Tampa, FL 33610 Phone: 813-237-6463 1.4 Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200). Skin Irrit. 2 H315 Causes skin irritation. Eye Dam. 1 H318 Causes serious eye damage. [•] 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the Globally Harmonized System within the United

States.

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



 Signal word Danger
 Hazard-determining components of labelling: disodium metasilicate pentahydrate alcohols, ethoxylated, phosphate esters
 Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage.

(Cont'd. on page 2)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 24 March 2017

Trade name: T-5 Purple v.4

Revision: 24 March 2017

	(Cont'd. from page 1)
Precautionary	statements
P264	Wash thoroughly after handling.
P280	Wear protective gloves / eye protection.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P302+P352	IF ON SKIN: Wash with plenty of water.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
NFPA ratings (scale 0 - 4)
Fire :	th = 2 = 0 ctivity = 0
HMIS-ratings (scale 0 - 4)
HEALTH2HeatFIRE0FireREACTIVITY0Read	

SECTION 3: Composition/information on ingred	ients
--	-------

[·] 3.2 Mixtures

CAS: 111-76-2	2-butoxyethanol	< 10%
EINECS: 203-905-0 Index number: 603-014-00-0	Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	-
Reg.nr.: 01-2119475108-36-XXXX		
CAS: 68130-47-2	Alcohols, ethoxylated, phosphate esters	< 2.0%
CAS: 10213-79-3 EINECS: 229-912-9	disodium metasilicate pentahydrate ♦ Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318 ♦ STOT SE 3, H335	< 2.0%
CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-00-6 Reg.nr.: 01-2119457892-27-XXXX	sodium hydroxide Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	< 1.0%

(Cont'd. on page 3)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 24 March 2017

Revision: 24 March 2017

Trade name: T-5 Purple v.4

(Cont'd. from page 2)

SECTION 4: First aid measures

[•] 4.1 Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact:

Immediately remove any clothing soiled by the product.

Rinse with warm water.

Seek medical treatment in case of complaints.

• After eye contact:

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Irritant to skin and mucous membranes.

Coughing

Gastric or intestinal disorders.

Nausea

· Hazards: Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

[•] 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

• For safety reasons unsuitable extinguishing agents: None.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

• Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Particular danger of slipping on leaked/spilled product.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

6.2 Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Cont'd. on page 4)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 24 March 2017

Trade name: T-5 Purple v.4

Revision: 24 March 2017

(Cont'd. from page 3)

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Clean the affected area carefully; suitable cleaners are:

Warm water

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Avoid contact with the eyes and skin.

Keep out of reach of children.

· Information about fire - and explosion protection: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities • Storage:

· Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidising and acidic materials.

• Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

[•] 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

111-76-2 2-butoxyethanol

IOELV (EU)	Short-term value: 246 mg/m ³ , 50 ppm Long-term value: 98 mg/m ³ , 20 ppm Skin
PEL (USA)	Long-term value: 240 mg/m³, 50 ppm Skin

(Cont'd. on page 5)

Revision: 24 March 2017

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 24 March 2017

Trade name: T-5 Purple v.4

		(Cont'd. from page 4)
REL (USA)	Long-term value: 24 mg/m³, 5 ppm Skin	
TLV (USA)	Long-term value: 97 mg/m³, 20 ppm BEI	
EL (Canada)	Long-term value: 20 ppm	
,	Long-term value: 20 ppm Skin	
1310-73-2 so	dium hydroxide	
PEL (USA)	Long-term value: 2 mg/m ³	
REL (USA)	Ceiling limit: 2 mg/m ³	
TLV (USA)	Ceiling limit: 2 mg/m ³	
EL (Canada)	Short-term value: C 2 mg/m ³	
	irther relevant information available.	
	urther relevant information available.	
•	vith biological limit values:	
	utoxyethanol	
M Ti	00 mg/g creatinine edium: urine me: end of shift arameter: Butoxyacetic acid with hydrolysis	
General prot The usual prot Keep away fro Immediately r Wash hands Avoid contact Do not inhale Respiratory p Not required o Use suitable r Use suitable r	tective equipment: ective and hygienic measures: ecautionary measures are to be adhered to when handling chemicals. om foodstuffs, beverages and feed. emove all soiled and contaminated clothing. before breaks and at the end of work. with the eyes and skin. gases / fumes / aerosols. protection: under normal conditions of use. respiratory protective device in case of insufficient ventilation. respiratory protective device when aerosol or mist is formed. piratory protection may be advisable.	
Prote	ective gloves	
	terial has to be impermeable and resistant to the product/ the substance/ t anent contact gloves made of the following materials are suitable: Re	

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 24 March 2017

Revision: 24 March 2017

Trade name: T-5 Purple v.4

(Cont'd. from page 5)

· Eye protection:



Safety glasses

· Body protection: Alkaline resistant protective clothing

· Limitation and supervision of exposure into the environment:

No further relevant information available.

· Risk management measures: See Section 7 for additional information.

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical	and chemical properties	
 Appearance Form: Colour: Odour: Odour threshold: 	Liquid Violet Pleasant Not determined.	
 pH-value: Melting point/freezing point: Initial boiling point and boiling range: 	11.5-13 Not determined. 100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gas):	Not applicable.	
· Auto/Self-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Explosive properties:	Product does not present an explosion hazard.	
 Explosion limits Lower: Upper: 	Not determined. Not determined.	
· Vapour pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
 Density: Relative density: Vapour density: Evaporation rate: 	1.03 g/cm³ (8.595 lbs/gal) Not determined. Not determined.	
 Solubility in / Miscibility with water: 	Fully miscible.	
· Partition coefficient: n-octanol/water:	Not determined.	
 Viscosity Dynamic: Kinematic: 	Not determined. Not determined.	
		(Cont'd. on page 7

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 24 March 2017

Revision: 24 March 2017

(Cont'd. from page 6)

Trade name: T-5 Purple v.4

[•] 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

[•] 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Reacts with strong oxidising agents. Exothermic reaction with acids.

Toxic fumes may be released if heated above the decomposition point.

· 10.4 Conditions to avoid Excessive heat.

• 10.5 Incompatible materials No further relevant information available.

10.6 Hazardous decomposition products

Carbon monoxide and carbon dioxide

Nitrogen oxides

SECTION 11: Toxicological information

11.1 Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification: None.

· Primary irritant effect

• Skin corrosion/irritation:

Causes skin irritation.

· Serious eye damage/irritation:

Causes serious eye damage.

• Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

· Carcinogenic categories

IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable routes of exposure:

Ingestion.

Inhalation Eye contact.

Skin contact.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

(Cont'd. on page 8)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHŚ

Printing date: 24 March 2017

Trade name: T-5 Purple v.4

Revision: 24 March 2017

(Cont'd. from page 7)

· Carcinogenicity: Based on available data, the classification criteria are not met.

• **Reproductive toxicity:** Based on available data, the classification criteria are not met.

• STOT-single exposure: Based on available data, the classification criteria are not met.

· STOT-repeated exposure: Based on available data, the classification criteria are not met.

• Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably reduced, the aqueous waste, emptied into drains, is only low water-dangerous.

12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

* 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

[•] 13.1 Waste treatment methods

· Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of larger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

(Cont'd. on page 9)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 24 March 2017

Revision: 24 March 2017

Trade name: T-5 Purple v.4

(Cont'd. from page 8)

14.1 UN-Number		
DOT, ADR, IMDG, IATA	Not Regulated	
14.2 UN proper shipping name DOT, ADR, IMDG, IATA	Not Regulated	
14.3 Transport hazard class(es)		
DOT, ADR, IMDG, IATA Class	Not Regulated	
14.4 Packing group DOT, ADR, IMDG, IATA	Not Regulated	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user Danger code (Kemler):	Not applicable. -	
14.7 Transport in bulk according to Ani of Marpol and the IBC Code	nex II	

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 United States (USA)
 SARA

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65 (California):

• Chemicals known to cause cancer:

None of the ingredients are listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

(Cont'd. on page 10)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 24 March 2017

Revision: 24 March 2017

Trade name: T-5 Purple v.4

(Cont'd. from page 9)

NL

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic Categories

• EPA (Environmental Protection Agency)

111-76-2 2-butoxyethanol

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Other regulations, limitations and prohibitive regulations

• Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

* 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

(Cont'd. on page 11)

Revision: 24 March 2017

(Cont'd. from page 10)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 24 March 2017

Trade name: T-5 Purple v.4

Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Corr. 1C: Skin corrosion/irritation - Category 1C Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com