Page: 1/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 24 March 2017 Revision: 24 March 2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

· Trade name: T5 Green v.4 · Article number: 100481

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture: Degreaser

1.3 Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

Theochem Laboratories 7373 Rowlett Park Drive Tampa, FL 33610 Phone: 813-237-6463



· 1.4 Emergency telephone number:

ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).

The following Hazard Statements are applicable only according to OSHA regulations within the United States. These Statements are not applicable for the CLP regulation (1272/2008/EC) in the EU: H317.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the Globally Harmonized System within the United States.

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms

The following pictograms are only for use within the United States (OSHA): GHS07.





GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

disodium metasilicate pentahydrate alcohols, ethoxylated, phosphate esters

(Cont'd. on page 2)

Page: 2/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA **GHS**

Printing date: 24 March 2017 Revision: 24 March 2017

Trade name: T5 Green v.4

(Cont'd. from page 1)

(R)-p-mentha-1,8-diene

· Hazard statements

The following Hazard Statements are applicable only according to OSHA regulations within the United States. These Statements are not applicable for the CLP regulation (1272/2008/EC) in the EU: H317.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

Precautionary statements

P260 Do not breathe mist/vapours/spray. P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P302+P352 IF ON SKIN: Wash with plenty of water.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



2 Health = 2 Fire = 0

- 2.3 Other hazards There are no other hazards not otherwise classified that have been identified.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

· 3 2 Mixtures

J.Z WIIALUIGS		
· Components:		
CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0 Reg.nr.: 01-2119475108-36-XXXX	2-butoxyethanol Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	< 10%
CAS: 68130-47-2	alcohols, ethoxylated, phosphate esters Skin Corr. 1C, H314	< 2.0%
	(Cont'd	on page 3)

(Contra. on page 3)

Page: 3/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 24 March 2017 Revision: 24 March 2017

Trade name: T5 Green v.4

	(Cont'd. fro	om page 2)
CAS: 10213-79-3	disodium metasilicate pentahydrate	< 2.0%
EINECS: 229-912-9	 Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318 ♦ STOT SE 3, H335 	
CAS: 1310-73-2	sodium hydroxide	< 1.0%
EINECS: 215-185-5	Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1,	
Index number: 011-002-00-6 Reg.nr.: 01-2119457892-27-XXXX	H318	
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	< 1.0%
EINECS: 227-813-5	♦ Flam. Liq. 3, H226	
Index number: 601-029-00-7	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
	Skin Irrit. 2, H315; Skin Sens. 1, H317	

· Additional information:

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and/or exact percentages are being withheld as a trade secret.

SECTION 4: First aid measures

4.1 Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately remove any clothing soiled by the product.

Rinse with warm water.

Seek medical treatment in case of complaints.

· After eye contact:

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Irritant to skin and mucous membranes.

Coughing

Gastric or intestinal disorders.

Nausea

Allergic reactions

- · Hazards: Causes serious eye damage.
- 4.3 Indication of any immediate medical attention and special treatment needed

Contains (R)-p-mentha-1,8-diene. May produce an allergic reaction.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

(Cont'd. on page 4)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 24 March 2017 Revision: 24 March 2017

Trade name: T5 Green v.4

(Cont'd. from page 3)

· For safety reasons unsuitable extinguishing agents: None.

• 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Particular danger of slipping on leaked/spilled product.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

6.2 Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Clean the affected area carefully; suitable cleaners are:

Warm water

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Avoid contact with the eyes and skin.

Keep out of reach of children.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

(Cont'd. on page 5)

Page: 5/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 24 March 2017 Revision: 24 March 2017

Trade name: T5 Green v.4

(Cont'd. from page 4)

Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidising and acidic materials.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Ingrediente with limit values that require monitoring at the workshoos

· 8.1 Control parameters

	Ingredients with limit values that require monitoring at the workplace:		
Γ	111-76-2 2-butoxyethanol		
	IOELV (EU) Short-term value: 246 mg/m³, 50 ppm Long-term value: 98 mg/m³, 20 ppm Skin		
	PEL (USA) Long-term value: 240 mg/m³, 50 ppm Skin		
	REL (USA)	Long-term value: 24 mg/m³, 5 ppm Skin	
	TLV (USA)	Long-term value: 97 mg/m³, 20 ppm BEI	
İ	EL (Canada)	Long-term value: 20 ppm	
	EV (Canada) Long-term value: 20 ppm Skin		
Γ	1310-73-2 sodium hydroxide		
Γ	PEL (USA)	Long-term value: 2 mg/m³	
	REL (USA)	Ceiling limit: 2 mg/m³	
İ	TLV (USA)	Ceiling limit: 2 mg/m³	
EL (Canada) Short-term value: C 2 mg/m³		Short-term value: C 2 mg/m³	

- DNELs: No further relevant information available.
- · PNECs: No further relevant information available.

Ingredients with biological limit values:

111-76-2 2-butoxyethanol

BEI (USA) 200 mg/g creatinine

Medium: urine Time: end of shift

Parameter: Butoxyacetic acid with hydrolysis

- 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

(Cont'd. on page 6)

Page: 6/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 24 March 2017 Revision: 24 March 2017

Trade name: T5 Green v.4

(Cont'd. from page 5)

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols.

Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- For the permanent contact gloves made of the following materials are suitable: Rubber gloves
- Eye protection:



Safety glasses

- · Body protection: Alkaline resistant protective clothing
- Limitation and supervision of exposure into the environment:

No further relevant information available.

· Risk management measures: See Section 7 for additional information.

SECTION 9: Physical and chemical properties

Appearance		
Form:	Liquid	
Colour:	Light green	
Odour:	Citrus.	
Odour threshold:	Not determined.	
pH-value at 20 °C (68 °F):	12.9	
Melting point/freezing point:	Not determined.	
Initial boiling point and boiling rang	le: 100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Auto/Self-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	

Page: 7/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 24 March 2017 Revision: 24 March 2017

Trade name: T5 Green v.4

		(Cont'd. from page 6)
Upper:	Not determined.	
· Vapour pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
· Density:		
Relative density:	1.03 g/cm3 (8.595 lbs/gal)	
Vapour density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Reacts with strong oxidising agents.

Exothermic reaction with acids.

Toxic fumes may be released if heated above the decomposition point.

- · 10.4 Conditions to avoid Excessive heat.
- 10.5 Incompatible materials No further relevant information available.
- · 10.6 Hazardous decomposition products

Carbon monoxide and carbon dioxide

Nitrogen oxides

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification: None.
- · Primary irritant effect
- · Skin corrosion/irritation:

Causes skin irritation.

· Serious eye damage/irritation:

Causes serious eye damage.

(Cont'd. on page 8)

Page: 8/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 24 March 2017 Revision: 24 March 2017

Trade name: T5 Green v.4

(Cont'd. from page 7)

· Respiratory or skin sensitisation:

May cause an allergic skin reaction.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable routes of exposure:

Ingestion.

Inhalation

Eye contact.

Skin contact.

- · Repeated dose toxicity: Repeated exposure may result in skin sensitivity.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably reduced, the aqueous waste, emptied into drains, is only low water-dangerous.

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

(Cont'd. on page 9)

Page: 9/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 24 March 2017 Revision: 24 March 2017

Trade name: T5 Green v.4

(Cont'd. from page 8)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

· Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of larger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
· 14.1 UN-Number · DOT, ADR, IMDG, IATA	Not Regulated
· 14.2 UN proper shipping name · DOT, ADR, IMDG, IATA	Not Regulated
· 14.3 Transport hazard class(es)	
· DOT, ADR, IMDG, IATA · Class	Not Regulated
· 14.4 Packing group · DOT, ADR, IMDG, IATA	Not Regulated
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user · Danger code (Kemler):	Not applicable.
of Marpol and the IBC Code	nex II Not applicable.

(Cont'd. on page 10)

Page: 10/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 24 March 2017 Revision: 24 March 2017

Trade name: T5 Green v.4

(Cont'd. from page 9)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- ·SARA
- Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

- Proposition 65 (California):
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- · Carcinogenic Categories
- EPA (Environmental Protection Agency)

111-76-2 2-butoxyethanol

NL

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Cont'd. on page 11)

Page: 11/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA **GHS**

Printing date: 24 March 2017 Revision: 24 March 2017

Trade name: T5 Green v.4

(Cont'd. from page 10)

· Relevant phrases

H226 Flammable liquid and vapour.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

Flam. Liq. 3: Flammable liquids – Category 3 Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

(Cont'd. on page 12)

Page: 12/12

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 24 March 2017 Revision: 24 March 2017

Trade name: T5 Green v.4

(Cont'd. from page 11)

Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com